

according to 1907/2006/EC, Article 31

Revision: 30.07.2021

Printing date 27.05.2022

## Version number 7 (replaces version 6)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- · Identification of the substance/preparation: Dr. Schutz Turbo Strip
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture Basic cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Company/undertaking identification:

Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For the UK: Dr. Schutz UK Ltd. Unit 24, Anglo Business Park, Smeaton Close, Aylesbury Bucks HP19 8UP Tel.: 0044 / 1296 437827 Fax: 0044 / 1296 334219 email: steve@dr-schutz.com

- Further information obtainable from: Department for product development
- **1.4 Emergency telephone number:** Dr. Schutz UK steve@dr-schutz.com 0044 (0) 1296 437827 (mon - fri 9am-5pm)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. - Hazard pictograms GHS07 · Signal word Warning · Hazard statements H319 Causes serious eye irritation. · Precautionary statements Wash thoroughly after handling. P264 P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

GB



according to 1907/2006/EC, Article 31

Printing date 27.05.2022

## Version number 7 (replaces version 6)

Revision: 30.07.2021

### Identification of the substance/preparation: Dr. Schutz Turbo Strip

(Contd. of page 1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol	_ 25-50%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37	sodium p-cumenesulphonate	_ 10%
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5 Reg.nr.: 01-2119492630-38	benzyl alcohol 🕂 Acute Tox. 4, H332; Eye Irrit. 2, H319	_ ≥5-<10%
CAS: 164462-16-2 EC number: 605-362-9	Alanine, N,N-bis(carboxymethyl)-, Trinatriumsalz	_ 1-5%
· Regulation (EC) No 648/200	4 on detergents / Labelling for contents	
anionic surfactants		≥5 - <15%
non-ionic surfactants <		<5%
perfumes (LIMONENE)		
· Additional information: For	the wording of the listed hazard phrases refer to section 16.	

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information:

Personal protection for the First Aider.

Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- · 5.2 Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.

(Contd. on page 3)

- GB



according to 1907/2006/EC, Article 31

Printing date 27.05.2022

## Version number 7 (replaces version 6)

Revision: 30.07.2021

## Identification of the substance/preparation: Dr. Schutz Turbo Strip

(Contd. of page 2)

- $\cdot$  5.3 Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

- $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with the eyes and skin.
- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling
 Follow instructions on the label and in the Technical Product Information Sheet.
 Store in cool, dry place in tightly closed receptacles.
 Avoid contact with the eyes and skin.
 Wear protective equipment. Keep unprotected persons away.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

· Exposure limit values:

### 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

• DNELs No further relevant information available.

• **PNECs** No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 27.05.2022

## Version number 7 (replaces version 6)

Revision: 30.07.2021

## Identification of the substance/preparation: Dr. Schutz Turbo Strip

(Contd. of page 3) · Individual protection measures, such as personal protective equipment · General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Be sure to clean skin thoroughly after work and before breaks. Use skin protection cream for skin protection. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eves. Avoid contact with the eyes and skin. Respiratory protection: Not necessary if room is well-ventilated. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended. Tightly sealed goggles Body protection: Light weight protective clothing **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties

General Information		
· Physical state	Fluid	
· Colour:	Yellowish	
· Odour:	Fruit-like	
· Odour threshold:	Not determined.	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
· Boiling point or initial boiling point an	d boiling	
range	Undetermined.	
· Flammability	Not applicable.	
<ul> <li>Lower and upper explosion limit</li> </ul>		
· Lower:	0.9 Vol %	
· Upper:	5.9 Vol %	
		( <b>0</b> )   -

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 27.05.2022

Version number 7 (replaces version 6)

Revision: 30.07.2021

## Identification of the substance/preparation: Dr. Schutz Turbo Strip

	(Contd. of page 4)
· Flash point:	>95°C (Seta Flash Closed Cup)
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
· pH at 20°C	10
· Viscosity:	
· Kinematic viscosity at 20°C	107 s (ISO 3 mm)
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	
· Vapour pressure at 20°C:	23 hPa
· Density and/or relative density	23 HF a
	1 055 g/om3
· Density at 20°C:	1.055 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health	
and environment, and on safety.	
· Ignition temperature:	225°C
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	Froduct does not present an explosion nazard.
· Organic solvents:	36.0 %
· VOC (EC)	36.0 %
· Change in condition	Not data we is a d
· Evaporation rate	Not determined.
<ul> <li>Information with regard to physical hazard</li> </ul>	
classes	
· Explosives	Not applicable
<ul> <li>Flammable gases</li> </ul>	Not applicable
· Aerosols	Not applicable
<ul> <li>Oxidising gases</li> </ul>	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit	
flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
Organic peroxides     Corrosive to metals	Not applicable
	Not applicable
· Desensitised explosives	Not applicable

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity see section "Possibility of hazardous reactions".

· 10.2 Chemical stability No information available.

· Conditions to avoid: No decomposition if used according to specifications.

(Contd. on page 6)

GB



according to 1907/2006/EC, Article 31

Printing date 27.05.2022

## Version number 7 (replaces version 6)

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Turbo Strip

(Contd. of page 5)

- $\cdot$  10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 v	· LD/LC50 values relevant for classification:			
112-34-5 2	112-34-5 2-(2-butoxyethoxy)ethanol			
Oral	LD50	3,305 mg/kg (rat)		
Dermal	LD50	2,764 mg/kg (rabbit)		
15763-76-	15763-76-5 sodium p-cumenesulphonate			
Oral	LD50	>2,000 mg/kg (rat) (OECD 401)		
Dermal	LD50	>2,000 mg/kg (rabbit)		
Inhalative	LC50/4h	>5 mg/l (rat)		
100-51-6 b	100-51-6 benzyl alcohol			
Oral	LD50	1,230-1,620 mg/kg (rat)		
Dermal	LD50	2,000 mg/kg (rabbit)		
Inhalative	LC50/4h	>4,178 mg/l (rat) (OECD 403)		
	Serious eye damage/irritation Causes serious eye irritation.     11.2 Information on other hazards			
·Endocrine	· Endocrine disrupting properties			
None of the ingredients is listed.				

### **SECTION 12: Ecological information**

· 12.1 Toxicity · Aquatic toxicity: 112-34-5 2-(2-butoxyethoxy)ethanol EC50/48h (static) >100 mg/l (Daphnia magna) LC50/96h (static) >100 mg/l (algae) 1,300 mg/l (fish) 15763-76-5 sodium p-cumenesulphonate EC50/48h (static) >100 mg/l (Daphnia magna) LC50/96h (static) >100 mg/l (Oncorhynchus mykiss (Rainbow trout)) EC50/96h (static) >100 mg/l (green alga) 100-51-6 benzyl alcohol EC50/48h 230 mg/l (Daphnia magna) (OECD 202) · 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. (Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 27.05.2022

## Version number 7 (replaces version 6)

Revision: 30.07.2021

## Identification of the substance/preparation: Dr. Schutz Turbo Strip

(Contd. of page 6)

## 12.7 Other adverse effects

Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information** 14.1 UN number or ID number · ADR, ADN, IMDG, IATA Not applicable · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Not applicable 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Class Not applicable 14.4 Packing group · ADR, IMDG, IATA Not applicable 14.5 Environmental hazards: · Marine pollutant: No 14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · UN "Model Regulation": Not applicable

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

(Contd. on page 8)

GB



according to 1907/2006/EC, Article 31

Printing date 27.05.2022

## Version number 7 (replaces version 6)

Revision: 30.07.2021

#### Identification of the substance/preparation: Dr. Schutz Turbo Strip

(Contd. of page 7) H302 Harmful if swallowed. H319 Causes serious eye irritation. H332 Harmful if inhaled. · Department issuing SDS: Department for product development Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 GB